

## Flat Wire

Rolled. Approximate weight per foot in pennyweights for Gold and Platinum. Approximate weight per foot in troy ounces for Silver. All metals are available in a continuous coil.

	MM	10K	14K	18K	22K	Pure and PT Alloys	Sterling Silver	
■	7 × 2	31.75	35.86	42.76	50.99	59.11		■
■	6 × 3	40.82	46.10	54.98	65.55	75.99		■
■	6 × 2.5	34.02	38.42	45.82	54.63	63.33		■
■	6 × 2	28.16	31.34	36.38	45.71	52.06	1.258	■
■	6 × 1.5	21.08	23.44	27.06	36.26	38.78	0.919	■
■	6 × 1	13.61	15.37	18.33	21.85	25.33		■
■	5.5 × 3	37.42	42.26	50.40	60.09	69.99		■
■	5 × 3	34.02	38.42	45.82	54.63	63.33		■
■	5 × 2	23.26	26.08	29.48	38.09	43.22	1.014	■
■	5 × 1	11.34	12.81	15.27	18.21	21.11		■
■	4.5 × 1	10.20	11.53	13.75	16.39	19.00		■
■	4 × 2	18.60	21.10	24.36	30.47	33.50	0.825	■
■	4 × 1	9.38	10.66	12.22	15.15	18.18	0.429	■
■	5 × 1.5	17.56	19.42	22.60	30.22	32.74	0.777	■
■	4 × 1.5	13.84	15.66	18.28	24.17	25.64	0.616	■
■	3.5 × 2	15.87	17.93	21.38	25.49	29.55		■
■	3 × 2	13.61	15.37	18.33	21.85	25.33		■
■	3 × 1.5	10.04	11.14	13.12	18.13	19.00	0.457	■
■	3 × 1	7.12	7.92	9.14	11.36	13.38	0.315	■
■	2.5 × 1.5	8.50	9.60	11.45	13.66	15.83		■
■	2 × 1.5	6.66	7.54	8.66	12.09	11.96	0.286	■
■	2 × 1	4.76	5.00	6.10	7.57	8.52	0.206	■
■	1.5 × 1	3.32	3.70	4.18	5.68	6.00	0.144	■

## Bezel Strip

Approximate weight per foot in pennyweights for Gold. One foot lengths maximum.  
Approximate weight per foot in ounces for Silver. Silver available in coil and 1 foot lengths.

Width MM	Thickness Gauge	Inches	MM	10K	14K	18K	22K	Pure & PT Alloys	Sterling Silver/ Fine Silver
2	30	.010	.26	1.14	1.29	1.54	1.83	2.16	0.051
2	28	.013	.32	1.48	1.67	2.00	2.38	2.81	0.066
2	26	.016	.40	1.96	2.12	2.40	2.88	3.50	0.080
3	30	.010	.26	1.70	2.02	2.32	2.94	3.24	0.078
3	28	.013	.32	2.18	2.48	2.86	3.72	4.22	0.102
3	26	.016	.40	2.78	3.12	3.68	6.41	5.15	0.119
4	30	.010	.26	2.31	2.61	3.12	3.67	4.33	0.104
4	28	.013	.32	2.91	3.29	3.93	4.64	5.62	0.131
4	26	.016	.40	3.71	4.15	4.76	5.712	6.85	0.165
5	30	.010	.26	2.94	3.32	3.94	4.70	5.41	0.128
5	28	.013	.32	3.64	4.12	4.94	5.88	7.03	0.166
5	26	.016	.40	4.64	5.42	6.25	7.5	8.93	0.206
6	30	.010	.26	3.46	3.91	4.68	5.88	6.49	0.156
6	28	.013	.32	4.36	4.93	5.90	7.44	8.44	0.196
6	26	.016	.40	5.58	6.46	7.49	8.98	10.68	0.252